

# Double C-Face Power-Off Brakes – MPC

## Ordering Information

### MPC PART NUMBERING SYSTEM

MODEL	PART NUMBER *	NEMA FRAME	INPUT SHAFT DIAMETER (INCH)	OUTPUT SHAFT DIAMETER (INCH)	STATIC TORQUE (INCH/LB)	AVAILABLE VOLTAGE
MPC17	8917-2221	17	3/16	3/16	1	24 VDC
MPC23	8923-x331	23	1/4	1/4	3	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-x551	23	3/8	3/8	3	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-x531	23	3/8	1/4	3	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-x631	23	1/2	1/4	3	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-x651	23	1/2	3/8	3	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-x335	23	1/4	1/4	5	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC23	8923-2556	23	3/8	3/8	10	24 VDC
MPC34	8934-x551	34	3/8	3/8	15	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC34	8934-x661	34	1/2	1/2	15	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC34	8934-2555	34	3/8	3/8	25	24 VDC
MPC34	8934-2665	34	1/2	1/2	25	24 VDC
MPC42	8942-x661	42	1/2	1/2	50	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC42	8942-x771	42	5/8	5/8	50	24 VDC, 12 VDC, 90 VDC, 120 VAC
MPC42	8942-x881	42	3/4	3/4	50	24 VDC, 12 VDC, 90 VDC, 120 VAC

#### REPLACE "X" WITH THE FOLLOWING WHEN ORDERING

1	90VDC
2	24 VDC
3	12 VDC
4	120 VDC